



Deck Designer Specification Kit For
AZEK


Deck layout diagram



Top view without planks




Bottom view with planks



Top view with planks

Permit Page: Level 1



LOAD AND SUPPORT:

Your deck will support a 50 PSF live load.
Posts have 36" below ground support.

DECK AND POST HEIGHT:

You selected a height of 36" from the top of the decking to the ground level. The top of the deck support posts will therefore be 27" above ground level.


Joists:

Set joists on top of beams, 12"; center to center.

Stress Analysis: Level 1

Joist Deflection	3521
Joist Bending	408
Joist Shear	309
Joist Compression	309
Beam Deflection	200
Beam Bending	64
Beam Shear	60
Post Stability	120

Permit Page: Level 2



LOAD AND SUPPORT:

Your deck will support a 117 PSF live load.
Posts have 36" below ground support.

DECK AND POST HEIGHT:

You selected a height of 57" from the top of the decking to the ground level. The top of the deck support posts will therefore be 48" above ground level.


Joists:

Set joists on top of beams, 12"; center to center.

Stress Analysis: Level 2


Joist Deflection	1214
Joist Bending	226
Joist Shear	218
Joist Compression	218
Beam Deflection	750
Beam Bending	158
Beam Shear	127
Post Stability	419

Beam Layout Level 1




BEAM LABEL	BEAM LENGTH	POST COUNT	POST SPACING
A	5' 3/4"	2	4' 1 1/4"
B	14' 5 1/4"	3	6' 9"
C	3' 6 1/2"	2	2' 3 1/2"
D	4' 1 1/2"	2	2' 10 1/2"
E	18'	3	8' 6 1/4"
F	8' 10 1/4"	2	7' 10 3/4"
G	8' 10 1/4"	2	7' 10 3/4"

Beam Layout Level 2



BEAM LABEL	BEAM LENGTH	POST COUNT	POST SPACING
A	2' 10 1/4"	2	1' 11"
B	5' 1 1/2"	2	4' 2"
C	7' 10 1/4"	2	6' 10 3/4"
D	8'	2	7' 1/2"

Materials Cut List: Level 1




LABEL	NAME	QTY	LENGTH	BEVELS	LABEL	NAME	QTY	LENGTH	BEVELS
A	Cladding	1	5'	0, 45	U	Internal Joist	1	11' 5 1/2"	0, 45
B	Cladding	1	11'	23, 45	V	Cladding	2	9'	45, 45
C	Cladding	1	14' 4"	23, 23	W	Cladding	2	6' 7"	45, 45
D	Cladding	1	8'	45, 23	X	Header	2	8' 7 1/4"	0, 0
E	Cladding	2	4'	23, 23	Y	Rim Joist	2	6' 5 1/4"	0, 0
F	Cladding	1	3' 1"	45, 45	Z	Internal Joist	8	6' 2 1/4"	0, 0
G	Cladding	1	3' 1"	45, 45	a	Riser	1	3'	0, 0
H	Header	1	16' 7 1/4"	0, 0	b	Pre Cut Stringer	4	1' 1/2"	0, 0
I	Rim Joist	1	10' 11"	0, 0	c	Riser	2	5'	0, 0
J	Header	1	14' 3 1/4"	0, 0	d	Pre Cut Stringer	6	2' 3 1/2"	0, 0
K	Rim Joist	1	7' 11"	0, 0	e	Riser	1	4' 2"	45, 0
L	Header	1	3' 11 1/4"	0, 0	f	Riser	1	3' 4"	45, 0

Cut Angles: L=Left, R=Right, F=Front, S=Side

LABEL	NAME	QTY	LENGTH	BEVELS	LABEL	NAME	QTY	LENGTH	BEVELS
M	Header	1	3' 11 1/4"	0, 0	g	Pre Cut Stringer	1	2' 8"	0, 0
N	Header	1	3'	0, 0	h	Pre Cut Stringer	9	2' 1"	0, 0
O	Rim Joist	1	4' 2 3/4"	0, 0	i	Riser	1	3' 11"	0, 45
P	Internal Joist	1	8' 8 3/4"	0, 45	j	Riser	1	4' 9"	0, 45
Q	Internal Joist	1	9' 8 3/4"	0, 45	k	Riser	1	3' 1"	45, 45
R	Internal Joist	1	10' 5 1/4"	0, 0	l	Riser	1	3' 1"	45, 45
S	Internal Joist	14	13' 5 1/4"	0, 0	m	Pre Cut Stringer	1	2' 8"	0, 0
T	Internal Joist	1	12' 5 1/2"	0, 45	n	Pre Cut Stringer	3	2' 1"	0, 0

Cut Angles: L=Left, R=Right, F=Front, S=Side

Materials Cut List: Level 2



LABEL	NAME	QTY	LENGTH	BEVELS	LABEL	NAME	QTY	LENGTH	BEVELS
A	Cladding	2	8'	45, 45	H	Header	1	5'	0, 0
B	Cladding	1	3'	45, 45	I	Rim Joist	1	4' 10 1/4"	0, 0
C	Cladding	1	3' 1"	45, 45	J	Header	1	7' 7 1/4"	0, 0
D	Cladding	1	5' 1"	45, 45	K	Internal Joist	2	7' 7 1/4"	0, 0
E	Rim Joist	1	7' 10 1/4"	0, 0	L	Internal Joist	5	4' 7 1/4"	0, 0
F	Header	1	2' 7 1/4"	0, 0	M	Riser	7	8'	0, 0
G	Rim Joist	1	4' 2 3/4"	0, 0	N	Pre Cut Stringer	9	7' 1"	0, 0

Cut Angles: L=Left, R=Right, F=Front, S=Side

Component Descriptions

These recommendations are for railing with a 4" gap from deck surface to the bottom of the bottom rail. Always refer to your local building codes to determine if other requirements must be met. Canadian requirements may vary.

TimberTech RadianceRail and AZEK Black and White rail sections are available in 10 ft. sections. See your local TimberTech or AZEK Dealer for more information.

Lumber Materials

COMPONENT	QTY	DESCRIPTION	WOOD TYPE
Internal Joist	17	2X8X14 Treated	TREATED
Beam	3	2X10X16 Treated	TREATED
Beam	3	2X10X18 Treated	TREATED
Beam	4	2X10X10 Treated	TREATED
Pre Cut Stringer	24	2-Step Treated Stair Stringer	TREATED
Railing Post	1	4X4X8 Treated	TREATED
Railing Post	3	4X4X18 Treated	TREATED
Railing Section	8	AZEK 8' Premier Custom Rail Pack - Kona® - 8'	AZEK
Railing Section	6	TT/AZEK 31" Square Aluminum Baluster - Black - 31"	AZEK
Cladding	11	AZEK Harvest Collection® Rim Joist Covers/Fasica - Kona® - 12'	AZEK
Decking	1	AZEK XLM® Deck Plank, Grooved - Harvest Bronze - 12'	AZEK
Decking	44	AZEK XLM® Deck Plank, Grooved - Harvest Bronze - 16'	AZEK
Decking	16	AZEK XLM® Deck Plank, Grooved - Harvest Bronze - 20'	AZEK
Header	3	2X8X8 Treated	TREATED
Header	9	2X8X18 Treated	TREATED
Rim Joist	1	2X8X12 Treated	TREATED
Internal Joist	3	2X8X16 Treated	TREATED
Beam	5	2X10X8 Treated	TREATED
Post	10	4X4X8 Treated	TREATED
Riser	11	AZEK Harvest Collection® Rim Joist Covers/Fasica - Kona® - 12'	AZEK
Railing Section	3	TT/AZEK 31" Square Aluminum Stair Baluster - Black - 31"	AZEK
Pre Cut Stringer	20	4-Step Treated Stair Stringer	TREATED

To find an AZEK and/or TimberTech Dealer or Contractor in your area, please go to www.azek.com

Other Materials

Qty	Description
1	5 LB. 10D Hot-Dip Galvanized Nail
5	1 LB. 10D Hot-Dip Galvanized Nail
1	1LB. 16D Galvanized Common Nail
2	2x6-8" Triple Zinc Right Skewed Joist Hanger SKH26R-TZ
5	1 LB. 10D X1 1/2" Nail
64	2x8-10" Triple Zinc Joist Hanger JUS28-TZ
2	2x6-8" Triple Zinc Left Skewed Joist Hanger SKH26L-TZ
12	7" Triple Zinc Angle Clip AC7-TZ
2	5" Triple Zinc Angle Clip MP5-TZ
2	THR128-HDG Threaded Rod
4	DTB-TZ Deck Tie Bracket
4	1LB. 8D Galvanized Common Nail
3	1 LB. 1-1/2" Joist Hanger Nail
85	Triple Zinc Rafter Tie RT7-TZ
24	Anchor Bolt AB128
24	4X4 Triple Zinc Deck Post Anchor PA44E-TZ
37	80 L.B. Basic Concrete Mix
2	60 L.B. Basic Concrete Mix
3	10 LB. Basic Concrete Mix
18	8" X 48" Concrete Form Tube
384	1/2 Galvanized Flat Washer
8	1/2 Galvanized Hex Nut
192	1/2 X 8" Galvanized Carriage Bolt
33	7" Triple Zinc Angle Clip AC7-TZ
34	4X4 Triple Zinc Deck Post Tie SDPT7-TZ
1	1 LB. 8X3" Philips Head Stainless Deck Screws
17	AZEK 5 1/2" Post Skirt - Kona®
68	3/8 Galvanized Hex Nut
136	3/8 Galvanized Flat Washer
68	3/8 X 8" Galvanized Carriage Bolt
17	AZEK 5 1/2" LED Lighted Island Cap - Kona®
17	AZEK 5.5" x 5.5" Post Sleeve - Kona® - 39"
1	TT/AZEK Transformer - 12 Volt 150 W
1	TT/AZEK Decklites Dimmer
1	TT/AZEK 100' wire 16/2
54	TT/AZEK LED Riser Light - Architectural Bronze
1	AZEK Cortex - 100 LF XLM® Harvest Bronze - Harvest Bronze
4	TimberTech CONCEALoc Hidden Fastener - Unit = 8 retail cartons @ 100 sq.ft. coverage each (175 CONCEALoc fasteners, 184 Screws and drive bit) - Brown

Qty	Description
34	1/2 X 6" Galvanized Lag Screw

LEGAL DISCLAIMER: The suggested design is a construction guide and is **NOT** a finished building plan. It is your responsibility to verify its accuracy, completeness, suitability for your particular site conditions, and compliance with local building codes and practices. Please consult your local building codes for requirements for deck lighting, railing, and stairs.

AZEK Building Products and its affiliates assume no responsibility for any damages, including direct or consequential, personal injuries suffered, or property or economic losses incurred as a result of the information published within this Deck Design, AZEK Building Products and its affiliate websites or Deck Design Detail Report. Before beginning any project, review the instructions carefully. We cannot anticipate all of your working conditions or the characteristics of your materials and tools. For your safety, you should consider your own skill level and use caution, care and good judgment when following the instructions. If you have doubts, concerns or questions, consult local experts, architects, soil engineers or building authorities. Because local zoning and building codes and regulations vary greatly, you should ALWAYS CHECK WITH LOCAL AUTHORITIES TO ENSURE THAT YOUR PROJECT COMPLIES WITH ALL APPLICABLE CODES AND REGULATIONS. Always read and observe instructions and safety precautions provided by any tool or equipment manufacturer, and follow all accepted safety procedures.

You are responsible for ensuring that all measurements are correct. Due to the size, shape, location or other considerations, your design may require supporting structures, such as knee braces and bridging between joists and posts and are not included on the materials list and other information provided. YOU ARE RESPONSIBLE FOR ENSURING THAT YOUR DESIGN IS SAFE AND STRUCTURALLY SOUND FOR ITS SIZE, LOCATION AND ANTICIPATED USE. You are also responsible for verifying that the design and any substitutions or modifications you make meet all local building codes and regulations.

AZEK Building Products and its affiliates assume no liability or responsibility for your design, construction or use of any product supplied by AZEK Building Products.

YOU ASSUME TOTAL RESPONSIBILITY AND RISK FOR YOUR USE OF THE AZEK BUILDING PRODUCTS DESIGN, THE AZEK BUILDING PRODUCTS WEBSITE AND SUPPLIED DECK DESIGN DETAIL REPORT. AZEK BUILDING PRODUCTS PROVIDES THIS WEB-BASED TOOL, ALL INFORMATION, PRODUCTS, AND SERVICES "AS IS" AND DOES NOT MAKE EXPRESS OR IMPLIED WARRANTIES, REPRESENTATIONS, OR ENDORSEMENTS OF ANY KIND WHATSOEVER (INCLUDING WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE).