



Deck Designer Specification Kit For
AZEK

Deck layout diagram



Top view without planks




Bottom view with planks



Top view with planks

Permit Page: Level 1



LOAD AND SUPPORT:

Your deck will support a 45 PSF live load.
Posts have 36" below ground support.

DECK AND POST HEIGHT:

You selected a height of 72" from the top of the decking to the ground level. The top of the deck support posts will therefore be 63" above ground level.


Joists:

Set joists on top of beams, 12"; center to center.

Stress Analysis: Level 1


Joist Deflection	1167
Joist Bending	221
Joist Shear	215
Joist Compression	215
Beam Deflection	142
Beam Bending	55
Beam Shear	57
Post Stability	116

Beam Layout Level 1



BEAM LABEL	BEAM LENGTH	POST COUNT	POST SPACING
A	19' 10 1/4"	3	9' 5 1/2"
B	17' 2 1/4"	3	8' 1 1/2"
C	4' 1 1/2"	2	2' 10 1/2"
D	11' 1 1/2"	2	10' 2"
E	11' 1 1/2"	2	10' 2"
F	11' 1 1/2"	3	5' 1"

Materials Cut List: Level 1



LABEL	NAME	QTY	LENGTH	BEVELS	LABEL	NAME	QTY	LENGTH	BEVELS
A	Cladding	1	9' 9"	45, 0	N	Cladding	2	14' 1 1/2"	45, 45
B	Cladding	1	9' 4"	23, 45	O	Header	2	10' 10 1/2"	0, 0
C	Cladding	1	17' 2"	45, 23	P	Rim Joist	2	13' 11 3/4"	0, 0
D	Cladding	1	4'	23, 23	Q	Internal Joist	10	13' 8 3/4"	0, 0
E	Header	1	19' 7 1/4"	0, 0	R	Internal Joist	1	13' 8 3/4"	0, 0
F	Rim Joist	1	9' 3"	0, 0	S	Riser	4	5' 8"	0, 0
G	Header	1	16' 11 1/4"	0, 0	T	Pre Cut Stringer	16	3' 11 1/2"	0, 0
H	Rim Joist	1	12' 1/4"	0, 0	U	Riser	4	7' 3 3/4"	0, 0
I	Header	1	3' 11 1/4"	0, 0	V	Riser	1	4'	0, 0
J	Internal Joist	17	11' 9 1/4"	0, 0	W	Riser	3	4'	0, 0
K	Internal Joist	1	10' 9 1/2"	0, 45	X	Stringer	2	4' 4 1/2"	0, 0
L	Internal Joist	1	9' 9 1/2"	0, 45	Y	Stringer	2	4' 4 1/2"	0, 0

Cut Angles: L=Left, R=Right, F=Front, S=Side

LABEL NAME	QTY	LENGTH	BEVELS	LABEL NAME	QTY	LENGTH	BEVELS
M Cladding	2	11' 3 1/4"	45, 45	Z Stringer	1	4' 4 1/2"	0, 0

Cut Angles: L=Left, R=Right, F=Front, S=Side

Component Descriptions

These recommendations are for railing with a 4" gap from deck surface to the bottom of the bottom rail. Always refer to your local building codes to determine if other requirements must be met. Canadian requirements may vary.

TimberTech RadianceRail and AZEK Black and White rail sections are available in 10 ft. sections. See your local TimberTech or AZEK Dealer for more information.

Lumber Materials

COMPONENT	QTY	DESCRIPTION	WOOD TYPE
Rim Joist	14	2X8X14 Treated	TREATED
Internal Joist	19	2X8X12 Treated	TREATED
Beam	5	2X10X10 Treated	TREATED
Beam	2	2X10X18 Treated	TREATED
Beam	6	2X10X12 Treated	TREATED
Pre Cut Stringer	16	4-Step Treated Stair Stringer	TREATED
Railing Post	1	4X4X8 Treated	TREATED
Railing Post	5	4X4X18 Treated	TREATED
Railing Section	9	AZEK 6' Premier Custom Rail Pack - Slate Gray - 6'	AZEK
Railing Section	6	AZEK 8' Premier Custom Rail Pack - Slate Gray - 8'	AZEK
Railing Section	10	TT/AZEK 31" Round Aluminum Baluster - Black - 31"	AZEK
Cladding	8	AZEK Vintage Collection® Rim Joist Covers/Fasica - Cypress® - 12'	AZEK
Decking	48	AZEK Vintage Collection® Deck Plank, Grooved - Dark Hickory® - 16'	AZEK
Decking	15	AZEK Vintage Collection® Deck Plank, Grooved - Dark Hickory® - 20'	AZEK
Header	4	2X8X18 Treated	TREATED
Internal Joist	2	2X8X10 Treated	TREATED
Post	8	4X4X8 Treated	TREATED
Riser	6	AZEK Vintage Collection® Rim Joist Covers/Fasica - Cypress® - 12'	AZEK
Stair Step	1	AZEK Vintage Collection® Deck Plank, Grooved - Dark Hickory® - 12'	AZEK
Railing Section	6	TT/AZEK 31" Round Aluminum Stair Baluster - Black - 31"	AZEK
Stringer	1	2X8X8 Treated	TREATED

To find an AZEK and/or TimberTech Dealer or Contractor in your area, please go to www.azek.com

Other Materials

Qty	Description
4	1 LB. 10D X1 1/2" Nail
1	5 LB. 10D Hot-Dip Galvanized Nail
4	1 LB. 10D Hot-Dip Galvanized Nail
58	2x8-10" Triple Zinc Joist Hanger JUS28-TZ
1	1LB. 16D Galvanized Common Nail
2	2x6-8" Triple Zinc Left Skewed Joist Hanger SKH26L-TZ
7	7" Triple Zinc Angle Clip AC7-TZ
1	5" Triple Zinc Angle Clip MP5-TZ
2	THR128-HDG Threaded Rod
4	DTB-TZ Deck Tie Bracket
4	1LB. 8D Galvanized Common Nail
2	1 LB. 1-1/2" Joist Hanger Nail
81	Triple Zinc Rafter Tie RT7-TZ
15	Anchor Bolt AB128
15	4X4 Triple Zinc Deck Post Anchor PA44E-TZ
24	80 L.B. Basic Concrete Mix
2	10 LB. Basic Concrete Mix
12	8" X 48" Concrete Form Tube
240	1/2 Galvanized Flat Washer
5	1/2 Galvanized Hex Nut
120	1/2 X 8" Galvanized Carriage Bolt
21	7" Triple Zinc Angle Clip AC7-TZ
54	4X4 Triple Zinc Deck Post Tie SDPT7-TZ
1	1 LB. 8X3" Philips Head Stainless Deck Screws
27	AZEK 5 1/2" Post Skirt - Slate Gray
108	3/8 Galvanized Hex Nut
216	3/8 Galvanized Flat Washer
108	3/8 X 8" Galvanized Carriage Bolt
27	AZEK 5 1/2" Pyramid Cap - Slate Gray
27	AZEK 5.5" x 5.5" Post Sleeve - Slate Gray - 39"
18	TT/AZEK LED In Deck Light (8 Packs of 4 per Unit) - Architectural Bronze
1	TT/AZEK Decklites Dimmer
2	TT/AZEK 100' wire 16/2
1	TT/AZEK Transformer - 12 Volt 150 W
34	TT/AZEK LED Riser Light - Architectural Bronze
1	AZEK Cortex - 100 LF Vintage Collection® - Dark Hickory
3	TimberTech CONCEALoc Hidden Fastener - Unit = 8 retail cartons @ 100 sq.ft. coverage each (175 CONCEALoc fasteners, 184 Screws and drive bit) - Brown
46	1/2 X 6" Galvanized Lag Screw

LEGAL DISCLAIMER: The suggested design is a construction guide and is **NOT** a finished building plan. It is your responsibility to verify its accuracy, completeness, suitability for your particular site conditions, and compliance with local building codes and practices. Please consult your local building codes for requirements for deck lighting, railing, and stairs.

AZEK Building Products and its affiliates assume no responsibility for any damages, including direct or consequential, personal injuries suffered, or property or economic losses incurred as a result of the information published within this Deck Design, AZEK Building Products and its affiliate websites or Deck Design Detail Report. Before beginning any project, review the instructions carefully. We cannot anticipate all of your working conditions or the characteristics of your materials and tools. For your safety, you should consider your own skill level and use caution, care and good judgment when following the instructions. If you have doubts, concerns or questions, consult local experts, architects, soil engineers or building authorities. Because local zoning and building codes and regulations vary greatly, you should ALWAYS CHECK WITH LOCAL AUTHORITIES TO ENSURE THAT YOUR PROJECT COMPLIES WITH ALL APPLICABLE CODES AND REGULATIONS. Always read and observe instructions and safety precautions provided by any tool or equipment manufacturer, and follow all accepted safety procedures.

You are responsible for ensuring that all measurements are correct. Due to the size, shape, location or other considerations, your design may require supporting structures, such as knee braces and bridging between joists and posts and are not included on the materials list and other information provided. YOU ARE RESPONSIBLE FOR ENSURING THAT YOUR DESIGN IS SAFE AND STRUCTURALLY SOUND FOR ITS SIZE, LOCATION AND ANTICIPATED USE. You are also responsible for verifying that the design and any substitutions or modifications you make meet all local building codes and regulations.

AZEK Building Products and its affiliates assume no liability or responsibility for your design, construction or use of any product supplied by AZEK Building Products.

YOU ASSUME TOTAL RESPONSIBILITY AND RISK FOR YOUR USE OF THE AZEK BUILDING PRODUCTS DESIGN, THE AZEK BUILDING PRODUCTS WEBSITE AND SUPPLIED DECK DESIGN DETAIL REPORT. AZEK BUILDING PRODUCTS PROVIDES THIS WEB-BASED TOOL, ALL INFORMATION, PRODUCTS, AND SERVICES "AS IS" AND DOES NOT MAKE EXPRESS OR IMPLIED WARRANTIES, REPRESENTATIONS, OR ENDORSEMENTS OF ANY KIND WHATSOEVER (INCLUDING WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE).